WHITBY RURAL DISTRICT

REPORT

OF THE

Medical Officer of Health

M. DALE WOOD, M.D.

FOR THE YEAR

1941



ANNUAL REPORT

OF THE

Medical Officer of Health

FOR THE

WHITBY RURAL DISTRICT

for the year 1941

TO THE CHAIRMAN AND MEMBERS OF THE WHITBY RURAL DISTRICT COUNCIL.

Gentlemen,

It is with pleasure that I submit my Report for the year 1941, as I am able to record that very good health has been maintained through the district; the incidence of the more serious forms of infectious disease has been so small as to establish the lowest record for very many years.

The Government scheme for Immunisation against Diphtheria for children up to the age of 15 years has made good progress, especially among those of school age, though the response of those under 5 years has very seriously lagged behind; it cannot be too strongly impressed how important it is (especially for those below 5 years) to be given this protection. Since the period under review closed there has still been a steady increase in the number of those done, and it is hoped that all will avail themselves of this simple method of gaining protection against a very serious disease.

My Report this year is again in a shortened form according to the directions of the Minister of Health.

Your obedient servant,

M. DALE WOOD.

Grape Lane, Whitby, Yorks.

July, 1942.

PUBLIC HEALTH OFFICERS OF THE LOCAL AUTHORITY.

			3		
Other Public Offices held	Medical Officer of Health Whitby Urban District Council. School Medical Inspector North Riding Yorks.	County Council.			
Whole or part time	Whole	Whole	Whole	Whole	
Office held	Medica Officer of Health, Medical Superintendent Isolation Hospital.	Sanitary Inspector, Surveyor.	Sanitary Inspector, Surveyor.	Matron Isolation Hospital	
Qualifications	M.D., B.S.	Cert. R.S.I., M.S.I.A.	Cert. R. S. I.	S.R.N. General & Fever, F.B.C.N.	
Name.	M. DALE WOOD	F. LAWSON	W. B. LAWSON	Mrs. M. O. GOAD	

SECTION A.—STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

Sum represented by a Penny Rate					
EXTRACT FROM VITAL STATE	ΓIST	ICS	OF	тн	E
	M		F	Т	otal.
Live Births					
(Legitimate)					
(Illegitimate)					
(8 /	3		3		
Still Births	4	• • •	5	• • •	9
(Legitimate)	4	• • •	4	• • •	8
(Illegitimate)	O	•,••	I	• • •	I
Rate per 1,000 total (live and sti	11) bi:	rths	51	.1	
Deaths	106	• • •	79	• • •	185
Deaths from Puerperal Causes (Head of the Registrar-General's Short Rate per 1.000 total (live and st	rt Li	st)	• • • • •	• • • • •	I
Death Rate of Infants under One	Yea	r of	Ag	e:	
M		F.		otal.	
Legitimate5		2		7	
Illegitimate c)	О		0	
All Infants per 1,000 Live Births					11.9
Legitimate Infants per 1,000 Legitims					14.02
Illegitimate Infants per 1,000 Illegitim					0
Deaths from Cancer (all ages)					² 5
Deaths from Measles (all ages)					0
Deaths from Whooping Cough (all					0
Deaths from Diarrhæa (under 2 year	,				О
•		,			

CAUSES OF DEATH IN 1941.

According to Registrar-General's Classification:

		Males.	Females.	T'tl.
Ι.	Typhoid and Paratyphoid Fevers	0	0	O
2.	Cerebro-Spinal Fever		О	I
3.	Scarlet Fever		О	0
4.	Whooping Cough		О	0
· 5·	Diphtheria		O	0
Ğ.	Tuberculosis of Respiratory System		2	3
7.	Other Forms of Tuberculosis		О	2
8.	Syphilitic Diseases		О	0
9.	Influenza		2	4
10.	Measles	0	О	Ö
II.	Ac: Polio-myelitis & Polio-enceph:	0	O	0
I 2.	Acute Infantile Encephalitis	0	O	0
13.	Cancer of Mouth and Oesoph: (M.)			
	Uterus (F.)		I	2
14.	Cancer of Stomach and Duodenum	5	2	7
15.	Cancer of Breast		2	2
16.	Cancer of all other sites		8	14
17.	Diabetes		I	4
18.	Intra-Cranial Vascular Lesions		IO	26
19.	Heart Disease		29	5+
20.	Other Circulatory Diseases	2	I	3
21.	Bronchitis		4	9
22.	Pneumonia	-	O	3
23.	Other Respiratory Diseases		I	4
24.	Ulcer: of Stomach or Duodenum		I	3
25.	Diarrhœa under 2 years		О	0
26.	Appendicitis		O	I
27.	Other Digestive Diseases		I	5
28.	Nephritis		2	6
29.	Puerperal & Post-abort. Sepsis	•	I	I
30.	Other Maternal Causes		O	O
31.	Premature Birth		I	3
32.	Congenital Malformations, Birth			
3	Injuries and Infantile Diseases		I	4
33.	Suicide		О	Í
34.	Road Traffic Accidents		О	3
35.	Other Violent Causes	•	3	7
36.	All Other Causes	•	6	13
	All Causes	106	79	185

DEATHS AT SPECIFIED AGES.

Age in	1937.	1938.	1939.	1940.	1941.
Years.	M. F.	M. F.	M. F.	M. F.	M. F.
Under I	4 2	2 3	7 1	3 0	5 3
1 to 9	5 2	3 2	I 2	5 0	4 I
10 to 19	I O	O I	3 1	2 2	I I
20 to 29	3 І	4 0	2 I	3 0	2 3
30 to 39	4 2	6 2	O I	7 6	5 0
40 to 49	5 I	4 4	3 3	4 0	2 3
50 to 59	15 16	6 10	10 5	8 6	12 6
60 to 69	II 22	17 15	15 14	21 14	21 14
70 to 79	26 28	24 23	21 33	21 34	32 22
80 and over	12 19	6 15	19 15	20 25	22 26
All ages	86 93	$7^2 75$	84 76	94 87	106 79
Total	179	147	160	181	185

SECTION B.—GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA.

Laboratory Facilities.

At the North Riding Laboratory, Scarborough.

Ambulance Facilities.

An Ambulance is provided by the British Red Cross and St. John Ambulance Association for Non-Infectious and Accident Cases at Whitby, and by it patients can be removed from all parts of the Rural Area.

For Infectious Cases, a Motor Ambulance is provided by the Joint Isolation Hospital Committee.

Nursing in the Home.

There are Nursing Associations at-

(1) Danby, Castleton and Commondale.

(2) Lythe, Sandsend, Ugthorpe and Dunsley.

(3) Glaisdale and Lealholm.

(4) Goathland, Grosmont and Egton.

(5) Robin Hood's Bay.

The County Council provides a Midwife, who also acts as Health Visitor and School Nurse at—

(1) Hinderwell and Staithes.

(2) Sleights, Aislaby, Hawsker and Robin Hood's Bay.

Clinics and Treatment Centres.

No change since last report.

Hospitals—Public and Voluntary:

The War Memorial Cottage Hospital, Whitby. The oint Isolation Hospital.

WHITBY ISOLATION HOSPITAL.

RETURNS FOR THE YEAR 1941.

			Outside	9
Patients.	Urban.	Rural.	District	. T'tl.
Remaining Dec. 31st, 1940:—				
Scarlet Fever	. 2	0	0	2
Diphtheria				
Dipittieria	. I	О	0	I
Admitted, 1941:—				
Scarlet Fever	_	A	0	0
Diphtheria		4	0	9
		I	0	3 5
Cerebro-Spinal Meningitis		2	I	
Measles		I	(2)	4
Chicken Pox		О	(1)	I
Puerperal Pyrexia	. I	О	О	I
Observation	. I	О	(16)	17
			· /	•
Discharged cured, 1941:—				
Scarlet Fever	. 7	3	O	IO
Diphtheria	•	0	0	
Cerebro-Spinal Meningitis		2	0	3
Measles				3
		I	(2)	4
Chicken Pox		0	(1)	I
Puerperal Pyrexia		О	0	I
Observation	. I	О	(16)	17
Died during 1941:—				
D' -1-411				
Diphtheria	. O	I	О	I
Cerebro-Spinal Meningitis	S I	О	О	I
Remaining Dec. 31st, 1941:—				
Scarlet Fever	0	T	0	т
Cerebro-Spinal Meningitis	. 0	•	т	т
_				
Average stav of Patients in Days	s 36	32.63	12.74	25.2
Daily average of occupied beds .	1.34	.72	.66	2.8
The daily average of occupie	ed beds	was in	:	
1941. 1940. 1939.	10	38.	1037.	
2.8 8.23 10.3				
2.0 0.23		-	3.0	

SUMMARY OF "PATIENT-DAYS" DURING 1941.

				Outside	
Month U	Jrban.]	Rural	 District	Total.
January	57		О	 (11)	 68
February	26		Ο	 (22)	 48
March	7		O	 (18)	 25
April	I 2		36	 (21)	 69
May	20		46	 О	 66
June	3		15	 О	 18
July	I 2		60	 (2)	 74
August	73		16	 (17)	 106
September	47		Ο	 (17)	 64
October	85		34	 (65)	 184
November	115		23	 (53)11	 202
December	31		31	 (16)31	 109
		_			
	488		261	 (242)42	 1033
		_			

SECTION C.—SANITARY CIRCUMSTANCES OF THE AREA.

WATER.

The undertakings owned by the Council have kept up a reasonable supply, the works are in good condition, no extensions have been carried out, but repairs have been done where necessary.

As far as privately-owned supplies are concerned, there has been no improvement in those previously reported upon.

DRAINAGE AND SEWERAGE.

At Fylingdales, Sleights, Goathland, and Hinderwell the sewerage systems are working satisfactorily; at one place in Staithes occasional flooding has been caused by storm-water, but this is receiving attention.

At Iburndale a new branch sewer some 43 yards long was laid, as the old sewer was found to be badly jointed and caused frequent stoppages.

At Sandsend, special watch has to be kept at the outfall to prevent accumulation of shifting sand.

CLOSET ACCOMMODATION.

Conversion to Water Closets 9

Under Section 47 of the Public Health Act, 1936, the Council continues to make an allowance towards the cost of conversion, where the owner of private property proposes the replacement of a closet of other type to water carriage system.

PUBLIC CLEANSING.

Refuse collection is carried out by the Council's Motor Vehicles, the material is dealt with at tips at Eskdaleside and Mickleby, as well as at the destructor works of the Whitby Urban Council, with which Authority an arrangement is in force.

SALVAGE.

Material is sorted at the works and tips. Sales of waste paper by the Women's Voluntary Service realised £105 18s.

The sales of old iron, tins, etc., realised £157 5s. 10d., to which should be added the material salved out of the Rural Collection at the Whitby U.D.C. works, as well as that at Eskdaleside, which is disposed of by the owner of that tip. These latter two sources comprise about one-third of the total collection.

SECTION D.—HOUSING.

No steps have been taken to remove the various properties condemned under Demolition or Clearance Order, some of these are becoming so derelict that they threaten to tumble down.

SECTION E.—INSPECTION AND SUPERVISION OF FOOD.

Milk Supply.

Registered	Cow-Keepers and Dairymen	618
Number of	Inspections	40
	Cowsheds Alerted and Re-modelled	

Meat and Other Foods.

All Slaughtering in this district is done at Egton under the Government Centralisation Scheme, and allocation to butchers is made from there.

Number	of	Ins	pections	Made	 58	
Carcases	, e	tc.,	Condem	ned	 595	stones

SECTION F.—PREVALENCE OF, AND CONTROL OVER, INFECTIOUS AND OTHER DISEASES.

The incidence of Infectious Disease has been very light, with the exception of 91 cases of Measles and 39 of Whooping Cough.

The Immunisation against Diphtheria has met with a good response:

TOTAL NUMBER IMMUNISED DURING 1941.

Children under 5 years.	•••	Aged 5 years but under 15 years.	Total. 1438
Estimed percentage of child population who have been immunised in this age group:		Estimated percentage of child population who have been immunised in this age group:	
48 per cent.		86 per cent.	

NOTIFIABLE DISEASES (other than Tuberculosis) DURING THE YEAR 1941.

(Civilian Cases Only)

	Tota	l case	es Cas	es adn	nitted	To	otal
Disease.	no	otified	l. to	Hospi	ital.	Dea	aths.
Scarlet Fever		4		. 4		• •	O
Diphetheria		1		. I		• •	О
Pneumonia		4		. О		• •	3
Cerebro-Spinal Meningitis		2	* * * * * * * *	. 2			I
Measles		91		. I			О
Whooping Cough		39	• • • • • • •	. О			О
Erysipelas		I		. О			O

ANALYSIS OF AGE GROUPS.

	Scarlet Fever	Diphtheria.	Pneumonia.	Cerebro-Spinal Meningitis.	Measles.	Whooping Cough.	Erysipelas.
Age Period.							
Under 1 year	О	О	О	О	3	2	0
I—	Ο	0	О	Ο	6	Ο	0
2—	О	I	Ο	Ο	6	3	0
3—	O	0	О	О	7	6	Ο
4—	0	0	О	0	6	2	0
5—	2	О	I	О	41	22	Ο
10—	I	0	0	Ο	17	4	0
15—	О	О	О	О	4.	Ο '	Ο
20—	Ο	О	I	Ο	0	Ο	0
35—	О	0	0	I	0	0	0
45—	1	0	0	I	I	0	0
65 and over	О	0	2	0	Ο	0	I
Total		Υ	1	2	0.7	20	т
lotal	4	I	4	2	91	3 9	I

CANCER.

NUMBER OF DEATHS.

1041.	1940.	1939.	1938.	1937.
25	28	27	22	2 9

TUBERCULOSIS, 1941.

	Age				New Cases.					Deaths.			
					Non-								Non-
	Periods. Res			Resp	oira	tory.	Respiratory.						
					M.	F.	M.	F.		M.	F.	M.	F.
О	to	1	year	• • •	О	О	O	О		О	0	О	О
I	to	5	years	• • •	О	О	О	О		О	О	О	О
5	to	15	years	• • •	1	О	О	1		О	О	Ο	О
15	to	25	years	• • •	0	2	О	О		О	I	О	О
25	to	35	years		0	2	О	О		0	I	О	О
35	to	45	years	• • •	О	2	О	О		О	О	О	О
45	to	55	years	• •	О	О	О	О		О	0	О	О
55	to	65	years	• •	О	I	О	0		0	0	0	0
65	an	d o	ver		1	О	I	О		1	0	I	О
								•	-				
					2	7	I	I		I	2	I	О
Five Years:													
193	37				1	Ι	4	6		3	I	I	1
193	38			• • •	4	4	1	3		3	4	О	2
193	39				5	4	2	I		I	I	1	ı
194	10	• •			2	I	5	I		2	3	2	О
192	1. I				2	7	I	I		I	2	I	0



